ALL INDIA INSTITUTE OF MEDICAL SCIENCES BHOPAL

अखिल भारतीय आयुर्विज्ञान संस्थान

कार्यालय अधीक्षण अभियंता

Date: 15/05/2019

परियोजना शाखा, स्वास्थ्य एवं परिवार कल्याण मंत्रालय

साकेत नगर, भोपाल-462020, दूरभाष : 0755-2900697

ई-मेल : <u>ee.electrical@aiimsbhopal.edu.in</u> & <u>se@aiimsbhopal.edu.in</u>

No. 2007/ABEU/AIIMS/BPL/2019-20/

NOTICE INVITING QUOTATIONS

Executive Engineer (E), ABEU, AIIMS BHOPAL On behalf of the Director AIIMS Bhopal inviting online quotations from approved & eligible contractor registered with CPWD/ MP PWD of appropriate class & category on Percentage Rate basis. The quotations on the basis of total amount on percentage lower or higher basis shall be submitted online on or before 24/05/2019 up to 3:00 PM and the same will be opened online on 24/05/2019 at 03:30 PM in presence of willing bidders. The intending bidders may see the uploaded bid documents free of cost on e-tendering website: - www.tenderwizard.com/AIIMSBHOPAL and same can also be seen on AIIMS Bhopal portal i.e- www.aiimsbhopal.edu.in and may also inspect the site at their own cost. No quotations shall be entertained after the stipulated date and time.

Name of work - Additional/Modification work in at block no. 19A Upper ground

floor at Hospital Building at AIIMS Bhopal.

NIQ No. - 07/NIQ/EE(E)/ABEU/AIIMS/BPL/2019-20

Estimated Cost - ₹11,16,787/-

Earnest Money - ₹ 22,336/-

Period of Completion - 02 Months

Schedule of Qty. - Attached as Annexure-I

Terms & Conditions - Attached as Annexure-II

INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIQ AND POSTED ON WEBSITE

E – Notice Inviting Quotations
NIQ NO.: 07/NIQ/EE(E)/ABEU/AIIMS/BPL/2019-20

Executive Engineer (E), ABEU, AIIMS BHOPAL On behalf of the Director AIIMS Bhopal inviting online quotations from approved & eligible contractors registered with CPWD/ MP PWD on **Percentage Rate basis** for the following work:

basis for the following work:								
NIQ No.	Name of work & Location	Estimated cost put to NIQ	Earnest Money	Period of Completion	Period of submission bid with document	Time & date of opening of NIQ		
07/EE(E)/ABEU/AIIMS/BPL/2019-20	Additional Modification work in at block no. 19A Upper ground floor at Hospital Building at AIIMS Bhopal.		₹ 22,336/-	02 Months	24/05/2019 up to 03.00 PM	24/05/2019 up to 03.30 PM		

Terms & Conditions:

- 1. The intending bidder must read the terms and conditions carefully. He should only submit his bid online if he considers himself eligible and he is in possession of all the documents required.
- The bid shall be accepted only through online e-Tendering process and all details pertaining to the tender and guidelines for e-tendering are available on the website www.tenderwizard.com/AIIMSBHOPAL & www.aiimsbhopal.edu.in
- Intending contractors need to register themselves on the e-tendering website www.tenderwizard.com/AIIMSBHOPAL to get the USER ID and PASSWORD by paying required registration fee (Annual & Non-Refundable) through E-payment only and completing the steps specified on above referred website.
- 4. The rate quoted should be inclusive of all cost all taxes and GST etc.
- SPECIAL NOTE: THE PRICE BID AND other document has to be submitted separately on-line at www.tenderwizard.com/AIIMSBHOPAL. The date of submission of on-line bid is as per notice inviting quotation.
- 6. Requirements of Vendor:-
 - (A) Registration with portal www.tenderwizard.com/AIIMSBHOPAL.
 - (B) Class-III digital certificate in the name of the Company of the vendor is mandatory (in the name of the Company who will be submitting the EMD & General Information). This may be obtained by calling our helpdesk (011-49424365). Bids will not be recorded without Digital Signature.
 - (C) Bidders will have to pay Tender Processing Fee to **tenderwizard.com** (As per tender wizard require) through E-payment for the tender.

- The Financial bid must be submitted in given format on e-tendering website: <u>www.tenderwizard.com/AIIMSBHOPAL</u>. The bidder is not required to submit the hard copy of financial bid.
- 8. The Earnest money can be deposited in form of Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts towards cost of EMD, as mentioned above, in favor of Director, AllMS, Bhopal and the EMD for unsuccessful bidders shall be returned after opening of bids. The bids without Earnest Money will be summarily rejected. The EMD must be submitted in original hard form to tender opening authority by 15:00 Hrs on or before the date of opening of Bids.
- 9. List of Documents to be scanned and uploaded within the period of bid submission:
 - (A) Contractor Enlistment Order of CPWD/ MP PWD as specified in the NIQ.
 - (B) GSTIN Certificate.
 - (C) Treasury Challan/Demand Draft/Pay order or banker's Cheque/Deposit at call receipt/Bank guarantee of any scheduled Bank against EMD
 - (D) Copy of PAN Card issued by Income Tax Department
 - (E) Scan Copy of Original EMD in favor of Director AIIMS BHOPAL
 - (F) Postal Address, Mobile No. and e-mail ID of bidder.
 - (G) Undertaking for site inspection [Intending bidders must upload undertaking that they have inspected and examined the site and its surrounding before submitting their bids
- 10. The bid not containing required document upload on website will be summarily rejected and financial bids of such bidder will not be considered for opening of Financial Bid.
- 11. Payment shall be released after the successful completion of whole or part of work after deducting TDS as per Income tax Rules and any other statutory deductions as per latest Government rules, after full satisfaction of the Engineer In-charge. Payment shall be made through Account Payee Cheque or Electronic Clearing System only and the charges shall be deducted from the bill, if any. Contractor must give bank account details and RTGS details or crossed blank cheque leaf showing complete bank details to enable this office to make electronic payment.
- 12. Agency may please note that they shall follow the safety and security procedures while working at AIIMS Bhopal as per the Institute's norms.
- 13. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion. Similarly the work can also be closed by bidder after giving suitable notice of one month with proper justification and found justifiable by the AIIMS authorities.
- 14. If the agency is not registered GST department earlier, he has to get register himself with GST department before being eligible for any payment. He should submit required documents to the office of Executive Engineer (E) AIIMS Bhopal in this regard.

- 15. The work is estimated to cost ₹ 11,16,787/- this estimate, however, is given merely as a rough guide.
- 16. The time allowed for carrying out the work will be **02 Months** from the date of start which shall be reckoned from the date of issue of letter of award/work order.
- 17. The competent authority on behalf of the **Director**, **AIIMS**, does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bid shall be summarily rejected.
- 18. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 19. The competent authority on behalf of Director, AIIMS, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 20. The contractor shall not be permitted to bid for works in the AIIMS, Bhopal if his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any officer in the AIIMS, Bhopal. Any breach of this condition by the contractor would render him liable to be removed from the list of eligible bidders for any future bids.
- 21. Breach of Terms and Conditions: In Case of breach of any terms and conditions as mentioned above, the Competent Authority of AIIMS Bhopal will have the right to reject the bid at any stage in the contract period and in that event the EMD and other security deposit, PG available with AIIMS against this work shall also stands forfeited.
- 22. Applicable Law: The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing. Any disputes are subject to exclusive jurisdiction of competent court and forum in Bhopal, Madhya Pradesh, India only.
- 23. The NIQ and other bid documents can be seen at website www.aiimsbhopal.edu.in, www.tenderwizard.com/AIIMSBHOPAL, www.eprocure.gov.in The intending bidders are advised to have regular watch on AIIMS websites as modification/ corrigendum in terms and conditions shall be made only through website at any time before the last date of receipt of NIQ.
- 24. Compensation for delay of work under these conditions shall not exceed 10% of the contract amount subject to 1.5% per month or part thereof delay.
- 25. Income tax @ 2% and other applicable statutory taxes shall be recovered from the bill.

- 26. Contractor has to be submitting the GST compliant Bill showing work done and GST component separately.
- 27. Security deposit will be recovered 2.5% which will be released after six month of completion of date of work. The same can be released against FDR of equal amount in favor of Director, AIIMS Bhopal.
- 28. 1% of gross value of work done shall be deducted on account of Labour Welfare Cess.
- 29. Water & Electricity shall be supply free of cost by department for execution of work.

30. List of preferable makes:

Sr. No.	Materials	Brand/ Make				
1	Aluminum & Brass Fittings	Godrej/ Dorma/ ALBIHARI				
2	Aluminum Section	MAAN/ JINDAL/ HINDALCO				
3	Glass	SANT Govin/ ASHI/ MODI GUARD				
4	PVC Board	Centaury/ AL Stone/ Ex-Cel (Jain Irrigation)				
5	Flexible acrylic solid surface Sheet	Dupond/ LG/ Merino				

Executive Engineer (E)
ABEU, AIIMS BHOPAL

Copy to following for information and wider publicity:-

- 1. PS to Director, AIIMS, Bhopal.
- 2. Superintending Engineer, Project Cell, MoHFW, AIIMS, Bhopal.
- 3. Office of MS/DDA/FA/AO for putting on notice board for wider publicity.
- 4. Copy forwarded to I.T. Section, AIIMS Bhopal for Publication on website AIIMS Bhopal & Public Purchase portal of GOI and send a copy of proof of publication.
- 5. Notice Board.

Executive Engineer (E)

Performa of Percentage Schedule

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BHOPAL

NIQ NO. 07/EE(E)/ABEU/AIIMS/BPL/2019-20

Name of Work:- Additional Modification work in at block no. 19A Upper ground floor at Hospital Building at AllMS Bhopal.

SCHEDULE OF QUANTITY Name of the Contractor Quoted rates Rate in Sr. **Description of Items** Qtv Unit are negative Figures in Amount No or positive Rupees Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete: 8 373.65 250x10 mm Normal Item 2989.20 Providing and fixing special quality bright finished brass cupboard or ward robe locks with four levers of 2 approved quality including necessary screws etc. complete. 40 mm 251.20 48 Normal Item 12057.60 each Providing and fixing bright finished brass handles with screws etc complete: 100 mm 48 Normal Item 189.45 9093.60 each Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper 8 Normal Item 62.05 496.40 each Providing and fixing powder coated telescopic drawer one channels 300 mm long with necessary screws etc. 36 339.75 5 Normal Item 12231.00 set complete as per directions of Engineer in charge. ALUMINIUM WORK Providing and fixing anodised aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS:1285, fixed with rawl plugs anso screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required approved silicone sealent etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminum snap beading for galzing / panelling, C.P. brass/stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing and panelling to be paid for separately). a) For fixed portion. b)Polyester powder coated aluminum (minium 910.6 464.70 423137.23 Kg Normal Item thickness of polyester powder coating 50 micron.

Providing and fixing 12mm thick pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides. Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness (weight not less than 12.50 kg/ sqm) Providing and fixing 100mm Brass 100mm mortice latch and lock with 6 levers without pair of handles(best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing							
board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides. Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness (weight not less than 12.50 kg/ sqm) Providing and fixing 100mm Brass 100mm mortice latch and lock with 6 levers without pair of handles(best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be	7	providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Polyester powder coated aluminium (minimum	133.6	Kg	Normal Item	554.95	74124.67
Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness (weight not less than 12.50 kg/ sqm) 103.7 sqm Normal Item 1296.40 134410.	8	board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.	54.04		Name at the sec	1040.00	54274 20
window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness (weight not less than 12.50 kg/ sqm) Providing and fixing 100mm Brass 100mm mortice latch and lock with 6 levers without pair of handles(best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be		lamination on both sides.	51.84	sqm	Normal Item	1046.90	54271.30
Providing and fixing 100mm Brass 100mm mortice latch and lock with 6 levers without pair of handles(best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be	9	window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge . (Cost of aluminium snap beading					
latch and lock with 6 levers without pair of handles(best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be			103.7	sqm	Normal Item	1296.40	134410.75
11 outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be	10	latch and lock with 6 levers without pair of handles(best make of approved quality) for aluminium doors including necessary cutting and making good		each	Normal Item	458.55	3668.40
Polyester powder coated minimum thickness 50 micron aluminium Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be	11	outer dia 100 mm with SS screws etc. complete as per					
(anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be		Polyester powder coated minimum thickness 50	16	each	Normal Item	88.95	1423.20
(anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be		Providing and fixing anodised aluminium grill					
	12	(anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be	93.31	kg	Normal Item	408.85	38149.79

13	Providing & fixing Registration counter including vertical supports, top, drawer, shelf and door and etc. The counter shall be made with PVC Sheet of 18 mm in thickness of integral foam (Solid) PVC sheet, single piece, IPIRTI tested of approved make of light Colour, single extruded with hard surface finish, smooth glossy finish on both side. The PVC foam sheet shall be manufactured by ISO 14001, ISO18001 certified quality & environment management accredited companies. The PVC foam sheets shall be without lead & cadmium stabilizer having density 0.525-0.575 gm/cc., Hardness ≥ 55 shore 'D' ,Tensile strength MPa≥11, Elongation at break≥10%. having water absorption < 1%.The design and colour shall be as per direction of Engg in charge	78.36	Sqm	Normal Item	2484.52	194686.65
14	Providing & fixing cover on top of Registration counter made up with Flexible acrylic solid surface sheet with 12mm Thickness of approved colour made out of non-porous surfacing material homogeneously. Composed of + 1/3 acrylic resin (also known as PolyMethyl Methacrylate or PMMA),and + 2/3 Aluminium Trihydrate (ATH).The sheet size should be 2.44 mts x 076 mts having Density 1.60- 1.80 g/cm3,water absorption less then 0.05%,tensile strength 6250-6750 psi , Flexural strength 9900-11000 psi.,elongation 0.70-0.75% Flammability class-1. The material should have been manufactured by using high-tech and computerized controlled processes divided into various units such as mixing of raw materials casting, process on 4th generation steel belt (double belt) production technology with online quality testing process. the material should conform to national science foundation(NFC) , society general surveillance(CGS), green guard, korea testing abd research institute (KTRI), central institute of plastics engineering & technology (CIPET) testing standard and fabrications conponents warranty system(FCWS) norms.The design and colour shall be as per direction of Engg in charge	14.28	Sqm	Normal Item	10927.65	156046.79
	Grand Total					1116787.00
	Percentage above/ below OR At Par rate the		he estimated cost			
	Grant Total Amount					-
						-100.00
	Contractor Percentage in words					

COMMERCIAL CONDITIONS & SPECIFICATIONS

- 1. The work shall be carried out strictly in accordance with the CPWD General Specification for Civil works as amended up-to date. In case of items not covered by the above specifications the work shall be carried out as per the instructions of the Engineer -in- Charge.
- 2. All materials used shall conform to relevant Indian Standard Specification and where ever existing materials with ISI certification mark shall only be used.
- 3. The contractor shall have to obtain prior approval from Engineer -in -charge before placing the order for any specific materials. The Engineer -in -Charge may approve any of the makes /Brands out of the list of accepted makes (enclosed). All the materials to be used in the work shall be got approved by the Engineer -in- charge prior to their actual in the work.
- 4. All the debris due to the electrical works shall be cleared every now and then and site shall be kept clean by the contractor at all times.
- 5. The contractor is fully responsible to make his own arrangements for the watch and ward of materials at site as well as the installations provided by him till such time the installation / work is completed and handed over to the department in satisfactory working condition for which no extra claim will be entertained on account of damage, theft, pilferage etc., for the materials and installations.
- 6. The contractor shall make his own arrangement for all General and Special T & P required for the work. No T & P items shall be supplied by the department.
- 7. The material to be used in the work shall be procured only from authorized source / dealers /distributors and documentary evidence to this effect shall be submitted as and when desired to the Engineer -in-Charge or his representative failing which the Engineer -in charge reserves the right to reject the materials.
- 8. Price quoted shall be inclusive of all taxes, duties and GST. Nothing on this account will be reimbursable.
- 9. The quantities given in schedule of work for all the items are tentative. The work shall be carried out as per actual requirement and as approved by the Engineer -in Charge.
- 10. The work shall be carried out at AIIMS BHOPAL CAMPUS.
- 11. The contactor shall visit the site before quoting.
- 12. All statutory / Mandatory recoveries in force and as notified by competent authority from time to time shall be recovered from the bills of the agency.